Assembly wedges **Distance Wedge**

Features

- Special ribbed profile for a firm grip
- Pointed and offset saw teeth for precise, stable and non-slip alignment
- Ageing- and temperature-resistant material
- High resistance to moisture, mould and decay
- Dimensionally stable, even in heat or cold
- Suitable for a wide range of applications
- No splintering when drilled through with screws

Pack	Item No.	Type	Content wedge	Width	Length	Height
	Distance Wedge		per pack	mm	mm	mm
	065 600 114 1	80 x 30 x 10	10x	80	30	10
	065 600 115 1	95 x 45 x 15	10x	95	45	15
	Distance Wedge		per pack	mm	mm	mm
	065 100 105 1	80 x 30 x10	50x	80	30	10
	065 100 106 1	95 x 45 x 15	50x	95	45	15

Description & Area of Application

- Wide variety of applications: in acoustic construction, window installation, interior finishing, manufacturing, door construction, concrete work, carpentry, exhibition stand building, and tiling
- The assembly wedges are made from ageing- and temperature-resistant plastic with high resistance to moisture, mould and decay, ensuring dimensional accuracy even in cold or hot conditions



TOX GERMANY

Assembly wedges **Distance Wedge**

Item No.	Item	EAN code
065 100 105 1	Distance Wedge 80 x 30 x 10 mm (50 pcs.)	4 049563 060973
065 100 106 1	Distance Wedge 95 x 45 x 15 mm (50 pcs.)	4 049563 060980
065 600 114 1	Distance Wedge 80 x 30 x 10 mm (10 pcs.)	4 049563 060959
065 600 115 1	Distance Wedge 95 x 45 x 15 mm (10 pcs.)	4 049563 060966